




Our Fixed Knot Farm Fencing is a line and stay wire fabricated fence system constructed with independent knots.

Providing load flex on impact - this is the fence solution for high stock pressure applications. Quick and easy to erect, and more cost effective than your traditional post & rail fence, Fixed Knot Farm Fence features one piece vertical stay wires, a tied knot and comes in a variety of sizes.

Fence Layout



Features

✓ Cost Effective

- More cost effective to install due to less labour and material cost versus a post & rail fence.
- Hollow inner core is free of centre wires allowing for easy lifting with materials handling equipment.

✓ Flexible

- Tension curves allows the fence to flex under pressure but still retain its form.
- Tied knot allows for movement and impact absorption.
- · Will follow contour in undulating ground.

✓ Choice

 A range of sizes in horizontal line wires, fence heights, stay spacings and roll lengths to suit any application.

Traceability

 This product is batch marked and can be traced back to point of manufacture.

Durable

 Manufactured using a medium coatweight of Zinc-Aluminium wire for extended life over BayoGal Plus.

Product Sizes

Stock Code	Line Wires	Roll Height (mm)	Stay Spacing (mm)	Roll Length (m)	Roll Weight (kg)	мто
FK1619030500BZ	16	1900	300	500	521	✓
FK1619030200BZ	16	1900	300	200	208	/
FK1619030100BZ	16	1900	300	100	104	✓
FK13190301000BZ	13	1900	300	1000	888	/
FK1319030500BZ	13	1900	300	500	444	✓
FK1319030200BZ	13	1900	300	200	178	~
FK1319030100BZI	13	1900	300	100	89	
FK1319015500BZ	13	1900	150	500	637	~
FK1319015200BZ	13	1900	150	200	255	✓
FK1319015100BZI	13	1900	150	100	127	
FK115530100BZ	11	1550	300	100	74	~
FK1115515100BZ	11	1550	150	100	106	/
FK890301000BZ	8	900	300	1000	508	✓
FK89030750BZ	8	900	300	750	381	/
FK89030500BZ	8	900	300	500	254	✓
FK89030200BZ	8	900	300	200	102	~
FK89030100BZ	8	900	300	100	51	
FK8903050BZ	8	900	300	50	25	
FK89015500BZ	8	900	150	500	354	~
FK89015200BZ	8	900	150	200	141	~
FK89015100BZ	8	900	150	100	71	
FK8901550BZ	8	900	150	50	35	
FK88030500BZ	8	800	300	500	248	✓
FK88030200BZ	8	800	300	200	99	/
FK88030100BZ	8	800	300	100	50	
FK59030200BZ	5	900	300	200	71	/



bayonet

Wired for here

bayoGAL_®

Manufactured using Standard Galvanised wire

RECOMMENDED FOR INLAND AREAS

bayoGALPLUS®

Manufactured using Heavy Galvanised wire for extended life over BayoGal

RECOMMENDED FOR SEMI-INLAND AREAS

bayoZAL_®

Manufactured using a medium coatweight of Zinc-Aluminium wire for extended life over BayoGal Plus

RECOMMENDED FOR SEMI-COASTAL + RANGE/ MOUNTAIN AREAS

bayoZALPLUS®

Manufactured using a heavy coatweight of Zinc-Aluminium wire for extended life over BayoZal

RECOMMENDED FOR COASTAL AREAS

201 Taurikura Drive Tauriko, Tauranga 3171, New Zealand

PO Box 308 Seventh Ave, Tauranga 3140

0800 330 320 bayonet.co.nz