



bayonet®

Hexagonal Wire Netting

Manufactured
for New Zealand
conditions

**KIWI
MADE**




MANUFACTURED
IN N7
by bayonet



Hex Wire Netting 13mm

bayoGAL®

Bayonet 13mm Hex Wire Netting has a multitude of uses for avid lifestylers, including chicken coops, small animal cages, bird aviaries, board walks, and craft.



bayoGAL®

Manufactured using Standard Galvanised wire.

Applications

- ✓ Chicken Coops
- ✓ DIY
- ✓ Animal Cages
- ✓ Board Walks
- ✓ General Purpose
- ✓ Aviaries

Bayonet 13mm Hex Wire Netting makes an effective anti-slip for boardwalks and can be used in construction as concrete brick and block reinforcement. Other common uses include chicken coops, animal cages, aviaries, lifestyle farm applications and DIY, garden, and craft applications.


Features

- ✓ **Eco Friendly**
 - 100% recyclable.
- ✓ **Strength**
 - Twin edge wires for ease of tensioning and strength.
- ✓ **Choice**
 - A range of sizes with various heights & lengths.
- ✓ **Corrosion Protection**
 - Manufactured using BayoGAL Standard Galvanised wire.

Product Sizes

Stock Code	Roll Height (MM)	Aperture (MM)	Wire Diameter (MM)	Roll Length (LM)	Roll Weight (KG)
HN900I3075BG	900	13	0.7	5	2.6
HN900I30710BG	900	13	0.7	10	5
HN900I30750BG	900	13	0.7	50	26
HNI800I30750BG	1800	13	0.7	50	48


Fence Layout



Hex Wire Netting 19mm

bayoGAL^{PLUS}[®]

Made in the Bay of Plenty, Bayonet is proud to be New Zealand's only Hex Netting manufacturer. Our 19mm Hex Wire Netting is made by Kiwis for a multitude of classic 'Do It Yourself' Kiwi projects.



bayoGAL^{PLUS}[®]

Manufactured using Heavy Galvanised wire for extended life over BayoGAL.

Applications

- ✓ Chicken Coops
- ✓ Gardening
- ✓ Plaster Netting
- ✓ Pet Cages
- ✓ General Purpose
- ✓ Aviaries

Bayonet 19mm Hex Wire Netting can be used for dog and chicken runs, fencing and gardening projects, pet cages, aviaries – and even as an anti-slip for boardwalks. Manufactured after galvanising and available in a range of roll lengths.


Features

- ✓ **Strength**
 - Twin edge wires for ease of tensioning and strength.
- ✓ **Cost Effective**
 - Super-sized inner core ensures full length of netting unrolls easily.
 - Can be used on material handling equipment.
- ✓ **Eco Friendly**
 - 100% recyclable.
- ✓ **Corrosion Protection**
 - Heavy Galvanised 185g/m² BayoGAL Plus coating improves durability and rust resistance, for extended life over BayoGAL.
 - Manufactured after galvanised coating.
- ✓ **New Zealand made**

Product Sizes

Stock Code	Roll Height (MM)	Aperture (MM)	Wire Diameter (MM)	Roll Length (LM)	Roll Weight (KG)
HN9001915BGP	900	19	1.0	5	3.7
HN90019110BGP	900	19	1.0	10	8
HN90019150BGP	900	19	1.0	50	39

Fence Layout



Hex Wire Netting 25mm

bayoGAL^{PLUS}®

We make 25mm Hex Wire Netting in the Bay of Plenty too! It's made for New Zealand's harsh environment and the Kiwis who make it couldn't be prouder.



bayoGAL^{PLUS}®

Manufactured using Heavy Galvanised wire for extended life over BayoGAL.

Applications

- ✓ Plaster Netting
- ✓ Gardening
- ✓ Rural Fencing
- ✓ Animal Cages
- ✓ General Purpose

Bayonet 25mm Hex Wire Netting can be used for creating a new home for the hamsters, building a frame to support your runner beans, reinforcing mesh for your stucco plaster wall cladding, and assisting as a barrier for feral exclusion in rural fencing. A Heavy 150g/m² Galvanised coating for extended life over BayoGAL offers durability and rust resistance. Twin edge wires for ease of tensioning and a super-sized core that ensures netting unrolls easily all the way to the end.


Features

- ✓ **Strength**
 - Twin edge wires for ease of tensioning and strength.
- ✓ **Cost Effective**
 - Super-sized inner core ensures full length of netting unrolls easily.
 - Can be used on material handling equipment.
- ✓ **Eco Friendly**
 - 100% recyclable.
- ✓ **Corrosion Protection**
 - Heavy Galvanised 185g/m² BayoGAL Plus coating improves durability and rust resistance, for extended life over BayoGAL.
 - Manufactured after galvanised coating.
- ✓ **New Zealand made**

Product Sizes

Stock Code	Roll Height (MM)	Aperture (MM)	Wire Diameter (MM)	Roll Length (LM)	Roll Weight (KG)
HN90025I5BGP	900	25	1.0	5	3
HN90025I10BGP	900	25	1.0	10	6
HN90025I50BGP	900	25	1.0	50	30
HNI20025I50BGP	1200	25	1.0	50	40

Fence Layout



Hex Wire Netting 38mm

bayoGAL^{PLUS}®

We have manufactured Hex Netting in the Bay of Plenty since 1972. Our new 38mm Hex Wire Netting is an evolution of listening to Kiwi Farmers and manufacturing a solution to their needs.




Bayonet 38mm Hex Wire Netting is most commonly used in rural applications to assist as a barrier in the control of feral animals such as rabbits and wallabies. It can also be laid flat on the ground or used as an apron to assist in controlling burrowing animals. The super-sized core reduces wastage as the netting unrolls easily right to the very end of the roll. Manufactured after galvanising and available in a range of heights and lengths.

Features


- ✓ **Strength**
 - Twin edge wires for ease of tensioning and strength.
- ✓ **Cost Effective**
 - Super-sized inner core ensures full length of netting unrolls easily.
 - Can be used on material handling equipment.
- ✓ **Eco Friendly**
 - 100% recyclable.
- ✓ **Corrosion Protection**
 - Heavy Galvanised 185g/m2 BayoGAL Plus coating improves durability and rust resistance, for extended life over BayoGAL.
 - Manufactured after galvanised coating.
- ✓ **New Zealand made**

Fence Layout



Product Sizes

Stock Code	Roll Height (MM)	Aperture (MM)	Wire Diameter (MM)	Roll Length (LM)	Roll Weight (KG)	MTO
HN450381450BGP	450	38	1.4	50	18.5	✓
HN600381450BGP	600	38	1.4	50	24	
HN900381410BGP	900	38	1.4	10	7.2	
HN900381450BGP	900	38	1.4	50	36	
HN9003814100BGP	900	38	1.4	100	72	
HN1050381450BGP	1050	38	1.4	50	42	
HN10503814100BGP	1050	38	1.4	100	84	
HN1200381450BGP	1200	38	1.4	50	47	
HN12003814100BGP	1200	38	1.4	100	94	
HN1800381450BGP	1800	38	1.4	50	69	✓



bayoGAL^{PLUS}®

Manufactured using Heavy Galvanised wire for extended life over BayoGAL.


Applications

- ✓ Rural Fencing
- ✓ General Purpose
- ✓ DIY

Hex Wire Netting 38mm Centre Strand

MAXLINE®

Bayonet's BayoGAL Plus 38mm Centre Strand Netting has been used by Sheep Farmers across New Zealand at docking time for decades. Lightweight yet robust, this Hexagonal Wire Netting can be re-rolled and re-used year after year.



bayoGAL^{PLUS}

Manufactured using Heavy Galvanised wire for extended life over BayoGAL.

Applications

- ✓ Temporary Docking Netting
- ✓ General Purpose
- ✓ Rural Fencing

Bayonet has been making Centre Strand Netting in the Bay of Plenty for decades. Primarily used by our Kiwi Sheep Farmers at docking time as an animal-friendly solution to temporary yards. Now featuring 38mm aperture hexagons and with an upgrade to 4 horizontal centre strand wires, we have given our Centre Strand Netting the MAXLINE treatment.


Features

- ✓ **Strength**
 - Twin edge wires for ease of tensioning and strength.
 - 4 x 1.4mm horizontal centre strand wires.
- ✓ **Cost Effective**
 - Super-sized inner core ensures full length of netting unrolls easily.
 - Can be used on material handling equipment.
- ✓ **Eco Friendly**
 - 100% recyclable.
- ✓ **Corrosion Protection**
 - Heavy Galvanised 185g/m² BayoGAL Plus coating improves durability and rust resistance, for extended life over BayoGAL.
 - Manufactured after galvanised coating.
- ✓ **New Zealand made**

Product Sizes

Stock Code	Roll Height (MM)	Aperture (MM)	Wire Diameter (MM)	Roll Length (LM)	Roll Weight (KG)
HN900381450BGPCS	900	38	1.4	50	38.2

Fence Layout



Hex Wire Netting 38mm Multi Strand

MAXLINE®

Kiwi Farmers asked us for a higher level of protection, so we added more wire! Introducing Bayonet's patented, 38mm Hex Wire Netting Multi Strand.



With some good old Kiwi ingenuity, we have completely redesigned one of our hex netting machines to include 20 x 1.4mm horizontal line wires through the lower section of the fence. These 20 horizontal line wires give an unparalleled level of assistance to preventing feral animal movement with a hex netting fence.


Features

- ✓ **Strength**
 - Twin edge wires for ease of tensioning and strength.
 - 20 x 1.4mm horizontal centre strand wires.
- ✓ **Cost Effective**
 - Super-sized inner core ensures full length of netting unrolls easily.
 - Can be used on material handling equipment.
- ✓ **Eco Friendly**
 - 100% recyclable.
- ✓ **Corrosion Protection**
 - Heavy Galvanised 185g/m2 BayoGAL Plus coating improves durability and rust resistance, for extended life over BayoGAL.
 - Manufactured after galvanised coating.
- ✓ **New Zealand made**
- ✓ **Patented**

Product Sizes


Stock Code	Roll Height (MM)	Aperture (MM)	Wire Diameter (MM)	Roll Length (LM)	Roll Weight (KG)
HNI200381450BGPMS	1200	38	1.4	50	58

Fence Layout



As shown in the diagram:

- 20 horizontal line wires begin approximately 120mm from the bottom edge line wire.
- There are 10 horizontal line wires up the fence and 10 horizontal line wires on the ground.
- Approximately 300mm of netting is used as an apron when laid flat on the ground to assist in the control of burrowing feral animals.



bayoGAL^{PLUS}

Manufactured using Heavy Galvanised wire for extended life over BayoGAL.

Applications

- ✓ Rural Fencing
- ✓ A barrier to assist in control of feral animals

Hex Wire Netting 50mm

bayoGAL^{PLUS}®

Hex Netting is in our DNA at Bayonet. We proudly manufacture a wide range of Hex Netting products and our 50mm Hex Wire Netting has been part of our story from the start.




From chicken runs and general garden use, to pet cages and anti-slip netting on boardwalks, our 50mm Kiwi-Made Hex Wire Netting is a great choice. Manufactured after galvanised coating and available in a range of heights and lengths to suit your needs.

Features

- ✓ **Strength**
 - Twin edge wires for ease of tensioning and strength.
- ✓ **Cost Effective**
 - Super-sized inner core ensures full length of netting unrolls easily.
 - Can be used on material handling equipment.
- ✓ **Eco Friendly**
 - 100% recyclable.
- ✓ **Corrosion Protection**
 - Heavy Galvanised 185g/m2 BayoGAL Plus coating improves durability and rust resistance, for extended life over BayoGAL.
 - Manufactured after galvanised coating.
- ✓ **New Zealand made**


Fence Layout



Product Sizes

Stock Code	Roll Height (MM)	Aperture (MM)	Wire Diameter (MM)	Roll Length (LM)	Roll Weight (KG)	MTO
HN9005015BGP	900	50	1.0	5	1.5	
HN90050110BGP	900	50	1.0	10	3	
HN90050150BGP	900	50	1.0	50	15	
HNI20050150BGP	1200	50	1.0	50	18	
HNI50050150BGP	1500	50	1.0	50	23	
HNI80050125BGP	1800	50	1.0	25	14	✓
HNI80050150BGP	1800	50	1.0	50	28	✓

We also manufacture 50mm Hex Netting for roof applications.
Contact us - 0800 330 320 - or see our website for more information on these products.



bayoGAL^{PLUS}®

Manufactured using Heavy Galvanised wire for extended life over BayoGAL.

Applications

- ✓ Chicken Runs
- ✓ Gardening
- ✓ DIY
- ✓ Pet Cages
- ✓ General Purpose



Wired for here

bayoGAL®

Manufactured using
Standard Galvanised wire

**RECOMMENDED FOR
INLAND AREAS**

bayoGAL^{PLUS}®

Manufactured using
Heavy Galvanised wire for
extended life over BayoGal

**RECOMMENDED FOR
SEMI-INLAND AREAS**

bayoZAL®

Manufactured using a medium
coatweight of Zinc-Aluminium
wire for extended life over
BayoGal Plus

**RECOMMENDED FOR
SEMI-COASTAL + RANGE/
MOUNTAIN AREAS**

bayoZAL^{PLUS}®

Manufactured using
a heavy coatweight of
Zinc-Aluminium wire for
extended life over BayoZal

**RECOMMENDED FOR
COASTAL AREAS**

201 Taurikura Drive Tauriko,
Tauranga 3171, New Zealand
PO Box 308 Seventh Ave, Tauranga 3140

0800 330 320
bayonet.co.nz